

# **Safety Data Sheet**

Issue Date: 01-Apr-2007 Revision Date: 26-Nov-2013 Version 1

## 1. IDENTIFICATION

Product Identifier

Product Name White Ice Color Coat Spray

Other means of identification

**SDS #** CC-018

UN/ID No UN1950

Recommended use of the chemical and restrictions on use

**Recommended Use** Canine color treatment spray.

Details of the supplier of the safety data sheet

**Supplier Address** 

Chris Christensen Systems Inc.

PO Box 961

Fairfield, TX 75840

**Emergency Telephone Number** 

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

Appearance Aerosols Physical State Aerosol Odor Typical

## Classification

Serious eye damage/eye irritation	Category 2
Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1A
Specific target organ toxicity (single exposure)	Category 3
Flammable Aerosols	Category 1

## Signal Word

Danger

## **Hazard Statements**

Causes serious eye irritation
May cause genetic defects
May cause cancer
May cause drowsiness or dizziness
Extremely flammable aerosol







. .

Revision Date: 26-Nov-2013

#### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Wear eye/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use

## **Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

## **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Isopropyl alcohol	67-63-0	80-90
Propane	74-98-6	<10
N-Butane	106-97-8	<10

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

## 4. FIRST-AID MEASURES

## **First Aid Measures**

**General Advice** If exposed or concerned: Get medical advice/attention.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

**Skin Contact** Wash off immediately with soap and plenty of water. If skin irritation occurs: Get medical

advice/ attention.

**Inhalation** IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If breathing is irregular or stopped, administer artificial respiration. Seek medical

attention.

**Ingestion** Flush mouth with copious amounts of water, provided that the person is conscious, and

seek medical attention.

#### Most important symptoms and effects

**Symptoms** Causes serious eye irritation. Inhalation may cause drowsiness or dizziness.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Carbon dioxide (CO2). Dry chemical. Foam.

Unsuitable Extinguishing Media Water.

#### **Specific Hazards Arising from the Chemical**

Product is extremely flammable aerosol. Vapors may form explosive mixture with air. Vapors are heavier than air and may spread along floors.

Hazardous Combustion Products Carbon oxides. Nitrogen oxides (NOx). Toxic materials.

**Sensitivity to Static Discharge** Take precautionary measures against static discharge.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers/ tanks with water spray.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Environmental Precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

## Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Cover liquid spill with sand, earth or other non-combustible absorbent material. Keep in

suitable, closed containers for disposal.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Use personal

protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash face, hands and any exposed skin thoroughly after handling. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after

use. Take precautionary measures against static discharges.

#### Conditions for safe storage, including any incompatibilities

Keep container tightly closed and store in a cool, dry and well-ventilated place. Do not **Storage Conditions** 

expose to temperatures exceeding 50 °C/122°F. Store locked up. Protect from sunlight.

Keep containers closed when not in use and upright to prevent leakage.

**Packaging Materials** Do not store in plastic. Containers must be resistant to solvents. Empty containers retain

product residue and can be hazardous. See Section 13: DISPOSAL CONSIDERATIONS.

Contact of Color Spray with other chemical substances may lead to unsafe reactions. Do **Incompatible Materials** 

not store together with fire-promoting or self-igniting products or substances, or together

with easily ignitable solid materials.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m <sup>3</sup>
		(vacated) TWA: 980 mg/m <sup>3</sup>	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m <sup>3</sup>
		(vacated) STEL: 1225 mg/m <sup>3</sup>	
Propane	TWA: 1000 ppm	TWA: 1000 ppm	IDLH: 2100 ppm
74-98-6		TWA: 1800 mg/m <sup>3</sup>	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1800 mg/m <sup>3</sup>
		(vacated) TWA: 1800 mg/m <sup>3</sup>	
N-Butane	TWA: 1000 ppm	(vacated) TWA: 800 ppm	TWA: 800 ppm
106-97-8		(vacated) TWA: 1900 mg/m <sup>3</sup>	TWA: 1900 mg/m <sup>3</sup>

## **Appropriate engineering controls**

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits. Eyewash

stations. Showers.

## Individual protection measures, such as personal protective equipment

Chemical safety goggles recommended if splashing is possible. **Eye/Face Protection** 

**Skin and Body Protection** Suitable protective clothing.

**Respiratory Protection** Ensure adequate ventilation, especially in confined areas. In case of inadequate ventilation

wear respiratory protection.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash face, hands

and any exposed skin thoroughly after handling.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

**Physical State** Aerosol **Appearance** Aerosols

**Typical** 

Color White **Odor Threshold** Not determined

**Property** Values Remarks • Method

Not determined **Melting Point/Freezing Point** Not determined **Boiling Point/Boiling Range** Not determined **Flash Point** Not determined

**Evaporation Rate** Upper: 12.0 Vol% Lower: 2.0 Vol%

Flammability (Solid, Gas) Not determined **Upper Flammability Limits** Not determined **Lower Flammability Limit** Not determined **Vapor Pressure** Not determined Vapor Density Not determined **Specific Gravity** Not determined Water Solubility Not determined Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** 250 °C **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

## 10. STABILITY AND REACTIVITY

## Reactivity

Not reactive under normal conditions.

## **Chemical Stability**

Stable under recommended storage conditions.

## Possibility of Hazardous Reactions

None under normal processing.

**Hazardous Polymerization** Hazardous polymerization does not occur.

## **Conditions to Avoid**

Excessive heat and fire. Protect from frost. Temperatures <50 C increase the danger of burst.

## **Incompatible Materials**

Contact of Color Spray with other chemical substances may lead to unsafe reactions. Do not store together with fire-promoting or self-igniting products or substances, or together with easily ignitable solid materials.

## **Hazardous Decomposition Products**

Carbon oxides. Nitrogen oxides (NOx). Toxic material.

## 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

**Product Information** 

**Eye Contact** Causes serious eye irritation.

**Skin Contact** Avoid contact with skin.

**Inhalation** Avoid breathing vapors or mists.

**Ingestion** Do not taste or swallow.

## Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl alcohol 67-63-0	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rat) = 12870 mg/kg (Rabbit)	= 72.6 mg/L (Rat) 4 h
Propane 74-98-6	-	-	= 658 mg/L (Rat)4 h
N-Butane 106-97-8	-	-	= 658 mg/L (Rat)4 h

#### Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Germ cell mutagenicity May cause genetic defects.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

However, the product as a whole has not been tested. Group 3 IARC components are "not

classifiable as human carcinogens".

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol 67-63-0		Group 3		Х

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

STOT - single exposure May cause drowsiness or dizziness.

## **Numerical measures of toxicity**

Not determined

## 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Isopropyl alcohol	1000: 96 h Desmodesmus	9640: 96 h Pimephales		13299: 48 h Daphnia magna
67-63-0	subspicatus mg/L EC50	promelas mg/L LC50		mg/L EC50
	1000: 72 h Desmodesmus	flow-through 11130: 96 h		
	subspicatus mg/L EC50	Pimephales promelas mg/L		
	,	LC50 static 1400000: 96 h		
		Lepomis macrochirus µg/L		
		LC50		

## Persistence/Degradability

Not determined.

## **Bioaccumulation**

Not determined.

#### **Mobility**

Chemical Name	Partition Coefficient
Isopropyl alcohol 67-63-0	0.05
Propane 74-98-6	2.3
N-Butane 106-97-8	2.89

## Other Adverse Effects

Not determined

# 13. DISPOSAL CONSIDERATIONS

## **Waste Treatment Methods**

**Disposal of Wastes**Dispose of in accordance with federal, state and local regulations. Should not be released

into the environment.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

#### California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Isopropyl alcohol	Toxic
67-63-0	Ignitable

## 14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances. Based on package size, product may be eligible for

limited quantity exception.

DOT

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.1

IATA

UN/ID No UN1950

Proper Shipping Name Aerosols, flammable

Hazard Class 2.1

**IMDG** 

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.1

## 15. REGULATORY INFORMATION

Revision Date: 26-Nov-2013

## **International Inventories**

Not determined

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

## US Federal Regulations

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropyl alcohol - 67-63-0	67-63-0	80-90	1.0

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## **US State Regulations**

# California Proposition 65

This product does not contain any Proposition 65 chemicals.

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Isopropyl alcohol 67-63-0	X	X	X
Propane 74-98-6	X	X	X
N-Butane 106-97-8	Х	Х	Х

16. OTHER INFORMATION

Revision Date: 26-Nov-2013

NFPA **Health Hazards Flammability** Instability **Special Hazards** Not determined Not determined Not determined Not determined **Health Hazards Flammability Physical Hazards Personal Protection HMIS** Not determined Not determined Not determined Not determined

Issue Date:01-Apr-2007Revision Date:26-Nov-2013Revision Note:New format

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**