

MATERIAL SAFETY DATA SHEET

Espreo Animal Products

800 Industrial Blvd. # 200

Grapevine, TX 76051

Phone : (800)-328-1317 Fax: (817)-251-6400

PRODUCT NAME: 50:1 Strawberry Lemonade Shampoo

HAZARD RATINGS: 0 = Least 1 = Slight 2 = Moderate 3 = High 4 = Extreme

HEALTH: 0

FLAMMABILITY: 0

REACTIVITY: 0

SECTION I

Manufacturers Name: Espreo Animal Products
Address: 800 Industrial Blvd Suite #200. , Grapevine, TX 76051
Chemical Name: N/A
Generic Family: Proprietary Surfactant Blend
Formula ID Number: 8E03-005
Revision Date: 3/15/2008

SECTION II - COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient Name:	CAS Number:	% wt or % vol.:
------------------	-------------	-----------------

Ingredient	OSHA PEL		ACGIH TLV		NIOSH REL		NIOSH IDLH
	TWA	STEL	TWA	STEL	TWA	STEL	

NOTE: In accordance with OSHA's Hazard Communication Standard, only hazardous materials are listed above.

SECTION III - PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Flowable, Viscous Liquid
Appearance and Odor: redish, viscous, flowable, strawberry aroma
Vapor Pressure: Not Determined

Water Solubility: Complete
Boiling Point: 212 degrees F
Freezing / Melting Point: N/A

Vapor Density (Air = 1): Not Determined
Specific Gravity (H₂O - 1, at 4 degrees C): 1.05

% Volatile: Not Determined
Evaporation Rate: Not Determined

SECTION IV - FIRE AND EXPLOSION HAZARD

Flash Point (Deg. F) / Method Used: None
LEL: N/A
UEL: N/A
Extinguishing Media: Water, Carbon Dioxide, Dry Chemical or Foam
Unusual Fire or Explosion Hazards: None
Hazardous Combustion Products: Unknown for mixture
Fire-Fighting Instructions: Do not release run-off from fire control methods to sewers or waterways.

SECTION V - STABILITY AND REACTIVITY

Stability: Stable at room temperature in closed containers under normal storage and handling conditions.
Polymerization: Hazardous polymerization cannot occur.
Chemical Incompatibilities: Unknown for mixture.
Hazardous Decomposition Products: Unknown for mixture.

SECTION VI - HEALTH HAZARD INFORMATION

POTENTIAL HEALTH EFFECTS

Inhalation: Not Determined
Eye: May cause irritation to mucous membranes.
Skin: May cause minor irritation with prolonged contact.
Ingestion: May have laxative effect.
Carcinogenicity: *IARC*, *NTP*, and *OSHA* do not list any ingredient in this product as a carcinogen.
Chronic Effects: May aggravate chronic dermal, eye, and /or pre-existing respiratory disorders.

EMERGENCY AND FIRST AID PROCEDURES

Inhalation: Remove affected person to fresh air
Eye Contact: Flush eyes with clean running water for 15 minutes. See physician if irritation persists.
Skin Contact: Wash with soap and water. See physician if irritation persists.
Ingestion: Give plenty of water. Do not induce vomiting. Contact a physician.

***After first aid is administered, get appropriate medical treatment as necessary.*

SECTION VII - SPILL, LEAK, AND DISPOSAL PROCEDURES

SPILL AND LEAK PROCEDURES:

Small Spills: Take up with absorbent material and dispose in trash.

Large Spills -

Containment: Dike far ahead of liquid spill for later disposal. Do not release into sewers or waterways.

Regulatory Requirements: Follow applicable OSHA regulations (29CFR 1910.120).

Disposal: Contact your supplier or a licensed contractor for detailed recommendations. Follow applicable Federal, State, and Local regulations.

EPA Regulations -

RCRA Hazardous Waste Number (40 CFR 261.33): Not Listed

RCRA Hazardous Waste Classification (40 CFR 261.??): Not classified

CERCLA Hazardous Substance (40 CFR 302.4): listed / unlisted specific per RCRA - Sec 3001; CWA - Sec. 311 (b)(4); CWA - Sec. 307 (a), CAA - Sec. 112

SARA 311/312 Codes:

SARA Toxic Chemical (40 CFR 372.65): Not Listed

SARA EHS (Extremely Hazardous Substance) (40 CFR 355): Not listed, Threshold Planning Quantity (TPQ)

OSHA Regulations -

Air Contaminant (29 CFR 1910.1000, Table Z-1,Z-1-A): Not listed

State Regulations:

SECTION VIII - EXPOSURE CONTROLS AND PERSONAL PROTECTION

Ventilation: Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs (Section 2). Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source. ** Practice good personal hygiene after using the material.

SECTION IX - SPECIAL PRECAUTIONS AND COMMENTS

Biodegradability: Yes

Storage Requirements: Store in original, closed container.

Disclaimer: All statements, technical information and recommendations contained herein are based on available scientific tests or data, which we believe to be reliable. The accuracy and completeness of such data are not warranted or guaranteed. We cannot anticipate all conditions under which this information and our products, or the products of other manufactures in combination with our products, may be used. Espree assumes no liability or responsibility for loss or damage resulting from the improper use or handling of our products, from incompatible product combinations, or from the failure to follow instructions, warning, and advisories in the product's label and Material Safety Data Sheet.