

King Research, Inc
7025 W. Marcia Rd.
Milwaukee, WI 53223

Issue Date 6-Dec-2004

Revision Date: 7-Jan-2014

Version 3

1. IDENTIFICATION

Product Identifier

Product Name Barbicide Plus

Other means of identification

SDS # 26700-0114

UN/ID No UN2924

Other Information R&D #RDY-53-2MOD
Item No(s). BARB26708

Recommended use of the chemical and restrictions on use

Recommended Use A concentrated germicidal detergent formulated with synthetic phenols, anionic surfactants and alcohol.

Details of the supplier of the safety data sheet

Manufacturer Address

Central Solutions, Inc.
401 Funston Rd.
Kansas City, KS 66115 |

Emergency Telephone Number

Company Phone Number 913-621-6542 (M-F 8am to 4:30pm, CST)
Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America) |

2. HAZARDS IDENTIFICATION

Appearance Clear, dark blue

Physical State Liquid

Odor Mild lavender

Classification


Skin corrosion/irritation	Category 1 Sub-category C
Serious eye damage/eye irritation	Category 1
Flammable Liquids	Category 3

Signal Word

Danger

Hazard Statements

Causes severe skin burns and eye damage
Flammable liquid and vapor



This product is a U.S. EPA Registered pesticide, EPA Reg. No. 211-36, and is subject to specific labeling requirements under Federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide products.

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray
 Wash face, hands and any exposed skin thoroughly after handling
 Wear protective gloves/protective clothing/eye protection/face protection
 Keep away from heat/sparks/open flames/hot surfaces. — No smoking
 Keep container tightly closed
 Ground/bond container and receiving equipment
 Use explosion-proof equipment
 Use only non-sparking tools
 Take precautionary measures against static discharge

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Immediately call a POISON CENTER or doctor/physician
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
 Wash contaminated clothing before reuse
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 Get medical attention if symptoms persist
 IF SWALLOWED: Call a poison center or doctor/physician
 Do not induce vomiting. Rinse mouth. Never give anything by mouth to a person who is unconscious or convulsing.
Note to physician: If the product is ingested, probable mucosal damage may contraindicate the use of gastric lavage. Treat the affected person appropriately.
 IN CASE OF FIRE: Use CO₂, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up – KEEP OUT OF THE REACH OF CHILDREN
 Store in a well-ventilated place. Keep cool.

Precautionary Statements - Disposal

Clean container promptly after emptying.
 Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Other Hazards

Toxic to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Isopropyl Alcohol	67-63-0	5-10
Ortho-benzyl-para-Chlorophenol	120-32-1	1-5
Para-tertiary Amylphenol	80-46-6	1-5
2-Phenylphenol	90-43-7	1-5
Sodium hydroxide	1310-73-2	1-3

4. FIRST-AID MEASURES

First Aid Measures

General Advice	Provide this SDS to medical personnel for treatment. Always get medical attention when product is swallowed or when symptoms are significant or persist.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
Skin Contact	Wash liberally with soap and water. If on clothes: Wash before reuse. If symptoms persist, call a physician.
Inhalation	Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician / poison center if individual's condition declines or if symptoms persist.
Ingestion	If patient is conscious and alert, dilute by drinking milk, egg whites or large quantities of water. Do not induce vomiting without medical advice. Get medical attention immediately.

Most important symptoms and effects

Symptoms	<p>If in eyes: Burning sensation, watering, or redness.</p> <p>If on skin: Redness, irritation, or burning sensation with prolonged exposure.</p> <p>If spray mist is inhaled: Possible lung damage, irritation and/or burning sensation.</p> <p>If swallowed: Drowsiness, irregular pulse, loss of consciousness. Possible gastrointestinal irritation or disturbance such as cramps and stomach pains.</p>
-----------------	--

Indication of any immediate medical attention and special treatment needed

Notes to Physician	If the product is ingested, probable mucosal damage may contraindicate the use of gastric lavage. Treat the affected person appropriately.
---------------------------	--

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Alcohol resistant foam, carbon dioxide, or dry chemical.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Flammable liquid and vapor.

Hazardous Combustion Products Burning may release combustion products such as Phenolics, carbon monoxide, carbon dioxide, and chlorine.

Sensitivity to Static Discharge Take precautionary measures against static discharge.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use water spray to keep exposed containers cool to prevent bursting.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
Environmental Precautions	See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Absorb spill with an inert absorbent material.

Methods for Clean-Up Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. This product is toxic to fish and aquatic organisms.

7. HANDLING AND STORAGE**Precautions for safe handling**

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. Do not contaminate water, food, or feed. Do not reuse empty containers. Keep containers clean and closed. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Ground/bond container and receiving equipment. Use non-sparking hand tools and explosion-proof electrical equipment. Take precautionary measures against static discharges. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands, and any exposed skin thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Keep out of the reach of children. Store locked up. Keep cool. Do not store near ignition sources or at temperatures above 120°F.

Incompatible Materials Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl Alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m ³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m ³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³ (vacated) Ceiling: 2 mg/m ³	IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³

Appropriate engineering controls

Engineering Controls Mechanical (General): Normally Sufficient
Local Exhaust: Not Normally Needed.

Individual protection measures, such as personal protective equipment

Eye/Face Protection USE Safety Glasses when splashing or spraying of the product into the eyes is likely or possible.

Skin and Body Protection Gloves are required for exposure to the concentrate when diluting or for long exposures to end-use dilutions. Persons sensitive to cleaning chemicals should always wear gloves.

Respiratory Protection General ventilation is normally adequate. Use appropriate respiratory protection if application method produces a fine spray or mists.

General Hygiene Considerations Wash hands after using. Do not get into eyes, on skin, or clothing. May be harmful if swallowed. Protect food and drink from contamination by product. Wash contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Liquid	Odor	Mild lavender
Appearance	Clear, dark blue liquid	Odor Threshold	Not determined
Color	dark blue		
<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>	
pH	11.50-12.50		
Melting Point/Freezing Point	Not available		
Boiling Point/Boiling Range	100 °C / 212 °F		
Flash Point	46.11 °C / 115 °F		
Evaporation Rate	Not established		
Flammability (Solid, Gas)	Not determined		
Upper Flammability Limits	Not determined		
Lower Flammability Limit	Not determined		
Vapor Pressure	Not established		
Vapor Density	Not established		
Specific Gravity	1.05-1.07		
Water Solubility	Completely soluble		
Solubility in other solvents	Not determined		
Partition Coefficient	Not determined		
Auto-ignition Temperature	Not determined		
Decomposition Temperature	Not determined		
Kinematic Viscosity	Not determined		
Dynamic Viscosity	Not determined		
Explosive Properties	Not determined		
Oxidizing Properties	Not determined		
Density	8.75-8.92 lbs/gal		

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Extreme high temperatures, sparks and open flames. Incompatible Materials.

Incompatible Materials

Strong oxidizing agents.

Hazardous Decomposition Products

Carbon monoxide. Carbon dioxide (CO₂).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact	Causes severe eye damage.
Skin Contact	Causes severe skin burns.
Inhalation	Avoid breathing vapors or mists. May cause irritation to the mucous membranes and upper respiratory tract.
Ingestion	Ingestion causes burns of the upper digestive and respiratory tracts.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl Alcohol 67-63-0	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rat) = 12870 mg/kg (Rabbit)	= 72.6 mg/L (Rat) 4 h
Ortho-benzyl-para-Chlorophenol 120-32-1	= 1700 mg/kg (Rat)		
Para-tertiary Amylphenol 80-46-6	= 1830 mg/kg (Rat)	= 2 g/kg (Rabbit)	
2-Phenylphenol 90-43-7	= 1049 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 0.949 mg/L (Rat) 1 h
Sodium hydroxide 1310-73-2		= 1350 mg/kg (Rabbit)	

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl Alcohol 67-63-0		Group 3		X
2-Phenylphenol 90-43-7		Group 3		

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic organisms.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Isopropyl Alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50		13299: 48 h Daphnia magna mg/L EC50
Para-tertiary Amylphenol 80-46-6		1.87 - 3.34: 96 h Pimephales promelas mg/L LC50 flow-through 1.6: 96 h Cyprinus carpio mg/L LC50		
2-Phenylphenol 90-43-7	0.85: 72 h Desmodesmus subspicatus mg/L EC50	3.4: 96 h Pimephales promelas mg/L LC50 flow-through 2.74: 96 h Lepomis macrochirus mg/L LC50 2.75: 96 h Oncorhynchus mykiss mg/L LC50 5.8: 96 h Poecilia reticulata mg/L LC50 static	EC50 = 2.05 mg/L 5 min	1 - 2.5: 48 h Daphnia magna mg/L EC50 Static
Sodium hydroxide 1310-73-2		45.4: 96 h Oncorhynchus mykiss mg/L LC50 static		

Persistence/Degradability

Not determined

Bioaccumulation

Not determined

Mobility

Chemical Name	Partition Coefficient
Isopropyl Alcohol 67-63-0	0.05
2-Phenylphenol 90-43-7	3.18

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods**Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Clean container promptly after emptying.
Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Chemical Name	California Hazardous Waste Status
Isopropyl Alcohol 67-63-0	Toxic Ignitable
Sodium hydroxide 1310-73-2	Toxic Corrosive

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT Product packaged <1-gallon is shipped as Limited Quantity
 UN/ID No UN2924
 Proper Shipping Name Flammable liquid, corrosive, n.o.s. (Isopropanol, Sodium hydroxide)
 Hazard Class 3
 Subsidiary Hazard Class 8
 Packing Group III

IATA
 UN/ID No UN2924
 Proper Shipping Name Flammable liquid, corrosive, n.o.s. (Isopropanol, Sodium hydroxide)
 Hazard Class 3
 Subsidiary Hazard Class 8
 Packing Group III

IMDG
 UN/ID No UN2924
 Proper Shipping Name Flammable liquid, corrosive, n.o.s. (Isopropanol, Sodium hydroxide)
 Hazard Class 3
 Subsidiary Hazard Class 8
 Packing Group III
 Marine Pollutant This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION

International Inventories

Not determined

Legend:

- TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*
- DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List*
- EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*
- ENCS - Japan Existing and New Chemical Substances*
- IECSC - China Inventory of Existing Chemical Substances*
- KECL - Korean Existing and Evaluated Chemical Substances*
- PICCS - Philippines Inventory of Chemicals and Chemical Substances*

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium hydroxide 1310-73-2	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropyl Alcohol - 67-63-0	67-63-0	5-10	1.0
Ortho-benzyl-para-Chlorophenol - 120-32-1	120-32-1	1-5	0.1
2-Phenylphenol - 90-43-7	90-43-7	1-5	1.0

CWA (Clean Water Act)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Ortho-benzyl-para-Chlorophenol 120-32-1 (1-5)		X		
Sodium hydroxide 1310-73-2 (1-3)	1000 lb			X

US State Regulations**California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
2-Phenylphenol - 90-43-7	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Isopropyl Alcohol 67-63-0	X	X	X
Ortho-benzyl-para-Chlorophenol 120-32-1	X		X
Para-tertiary Amylphenol 80-46-6		X	X
2-Phenylphenol 90-43-7	X	X	X
Sodium hydroxide 1310-73-2	X	X	X

16. OTHER INFORMATIONNFPAHMIS**Health Hazards**

Not determined

Health Hazards

2

Flammability

Not determined

Flammability

2

Instability

Not determined

Physical Hazards

0

**Special Hazards Not
determined****Personal Protection**B- Safety Glasses,
Gloves

Issue Date 6-Dec-2004
Revision Date: 7-Jan-2014
Revision Note New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet